




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : G01N 27/447		A1	(11) International Publication Number: WO 00/49397
			(43) International Publication Date: 24 August 2000 (24.08.00)
(21) International Application Number: PCT/GB00/00573		(74) Agent: CHEYNE, John, Robert, Alexander, Mackenzie; Haseltine Lake & Co., Imperial House, 15-19 Kingsway, London WC2B 6UD (GB).	
(22) International Filing Date: 17 February 2000 (17.02.00)			
(30) Priority Data: 60/120,471 17 February 1999 (17.02.99) US		(81) Designated States: AE, AL, AM, AT, AT (Utility model), AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, CZ (Utility model), DE, DE (Utility model), DK, DK (Utility model), DM, EE, EE (Utility model), ES, FI, FI (Utility model), GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SK (Utility model), SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).	
(63) Related by Continuation (CON) or Continuation-in-Part (CIP) to Earlier Application US Not furnished (CIP) Filed on Not furnished			
(71) Applicant (for all designated States except US): GENOMIC SOLUTIONS INC. [US/US]; 4355 Varsity Drive, Ann Arbor, MI 48108 (US).			
(72) Inventors; and			
(75) Inventors/Applicants (for US only): RYAN, Paul, Thomas [GB/GB]; 74 Owl End, Great Stukeley, Huntingdon, Cambridgeshire PE17 5AQ (GB). BYATT, David [GB/GB]; 26 The Paddock, Eaton Ford, St. Neots, Cambridgeshire PE19 35A (GB). AUTON, Kevin [GB/GB]; 42 Croftfield Road, Godmanchester, Huntingdon, Cambridgeshire PE18 8ED (GB).		Published With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.	

(54) Title: METHOD AND APPARATUS FOR AUTOMATED EXCISION OF SAMPLES FROM TWO-DIMENSIONAL ELECTROPHORESIS GELS



(57) Abstract

A system for automated excision of one more samples from a sample media, including by using a device for electronically capturing one or more traits of samples in the media, using a microprocessor linked to the device to analyze the captured traits by comparison to reference databases, identifying samples of interest at location coordinates in the sample media, and automatically excising and processing the samples through the use of a novel robotic excision tool.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

**METHOD AND APPARATUS FOR AUTOMATED EXCISION OF SAMPLES
FROM TWO-DIMENSIONAL ELECTROPHORESIS GELS**

CROSS-REFERENCE TO RELATED APPLICATION

5 This application claims priority based on U.S. provisional patent application no.
60/120,471 filed February 17, 1999.

FIELD OF THE INVENTION

 The present invention relates to the analysis and separation of biomolecules. More
particularly, the present invention relates to a method and apparatus for the automated
10 excision of individual protein samples from two-dimensional electrophoresis gels for
subsequent analysis of protein content.

BACKGROUND OF THE INVENTION

 The method and apparatus described herein are used for the automated excision of
individual samples from two-dimensional ("2D") electrophoresis gels for subsequent
15 analysis (referred to herein as the "**Invention**"). The Invention may be used in any art or
occupation where the user wishes to separate and analyze proteins or other substances
that are identifiable by 2D gel electrophoresis techniques, or any other technique that
results in the physical separation of substances within planar and cuttable materials.

 By way of example, one such art is "proteomics," especially in conjunction with a
20 related art, "genomics." Proteomics is the study of the protein complement that an
organism is capable of producing, whereas genomics is the study of deoxyribonucleic
acid ("**DNA**"), its genes, and the processes that lead to the creation of proteins.
Proteomics provides data on the outcome of gene expression. Genomics provides the

comprehensive gene sequence data, often derived by microarray analysis, required to advance protein research.

In complex organisms, individual cells may selectively express genes in their DNA to yield sets of proteins required for specific cell or organ functions. Much current scientific effort is directed to creating databases concerning how these genes are regulated and how this regulation may change in disease or other states, whether before and after treatment.

In order to evaluate the effects of gene regulation, methods must be used that measure, separate, and qualitatively and quantitatively analyze proteins, which are one output of gene expression. One currently favored proteomic technique is 2D polyacrylamide gel electrophoresis. This technique separates complex mixtures of proteins so that they can be isolated, quantified, identified and then assessed for their role in a disease process or as a target for novel drugs.

One approach to proteomic study using 2D gel techniques can be considered as comprising eight individual operations (see Figure 1):

1. Solubilization 16 - The proteins in a sample of cells or tissue are released from the underlying cellular or tissue matrix by solubilizing the proteins with detergents.

2. Separation 17 - The solubilized proteins are then physically separated into a square gel array using 2D gel electrophoresis.

3. Staining 18 - The separated proteins are demonstrated in the gel by staining with or attaching Coomassie brilliant blue, silver staining, SYPRO ruby, fluorescent compounds, or by other appropriate techniques.

4. Imaging 19 - The stained 2D gels are imaged by electronic optical or other means for resolving protein sample spots which are potentially interesting. For example, proteins that occur differentially in diseased but not healthy tissue could be considered of interest.

5. Picking 20 - The spots of gel containing the proteins of interest are excised from the main gel matrix.

6. Digestion of protein into peptides 21 - The proteins are broken down, usually enzymatically, into constituent peptides whose masses can be measured by mass spectrometry.

7. Mass spectral analysis 22 - The size of the isolated and digested protein peptides are measured using a matrix assisted laser desorption ionization-time of flight ("MALDI-TOF") mass spectrometer, or analyzed by liquid chromatography-mass spectrometry, quadropole time of flight, or other means.

8. Identification 23, 24 - The proteins are identified by matching the masses of the set of peptide fragments to fragments predicted by public and private databases after similar proteolytic (enzymatic) treatment. Once identified, the role of each protein in a disease process or as a potential point of intervention in a disease process (e.g., a drug target) can be considered along with information from pathology, pharmacology and known biological pathways.

In conjunction with computer databases and analysis, 2D gel electrophoresis can provide a means to physically resolve the proteome of a tested sample according to each protein's isoelectric point, reflected on one axis of the planar 2D gel sample, and its molecular weight or size, reflected by a corresponding perpendicular planar axis. Thus, 2D gel analysis of any given sample may produce a "fingerprint" that reflects an orthogonal planar distribution of its protein complement according to individual protein characteristics. Once prepared, resolved 2D gels may be translated by staining, imaging, and bioinformatic software into high-resolution digital protein maps, which may be stored for future use in computer or other databases. The resulting data may be used to determine the protein profiles of different tissues in both healthy and disease states, and ultimately for proteome libraries.

In addition, individual proteins may be excised from 2D gels, split into peptide fragments, and measured using mass spectrometry or other means. However, the large-scale study of proteins and protein networks is currently limited in part by the ability to physically isolate, segregate, and study individual proteins. Currently operations like those in Figure 1 are done in a sequential and modular fashion. The output of each step is transferred manually from operation to operation. These individual unconnected manual operations make the technique slow and cumbersome, prone to error due to the repetitive nature of each manual step, and subject to contamination, for example, by keratin contamination from skin during handling.

Scientists studying proteomics and genomics, and others, are extremely interested in rapid, accurate high throughput methods and instruments to carry out protein

analysis. It is clear that advances in robotics and software/computing technology could improve the throughput and rate of the analysis.

One U.S. company, BioRad Laboratories, is developing a protein-picking system in collaboration with a company called AARM (an Australian firm). However, among
5 other distinctions, their system is only semi-automated, and the user must manually identify the proteins to be picked from a particular 2D gel. Furthermore, the BioRad system does not use information stored in 2D gel databases to identify proteins of interest to be excised. Finally, the BioRad system does not have the capability of utilizing excision tools of different sizes based upon the size of the protein in the 2D gel.

10 Although there is other information to suggest other interest in the field, see e.g., Anderson, et al., U.S. Patent No. 5,993,627 at Columns 26-28, there appears to be no claimed invention or art providing the novel elements, means and utility of the claimed Invention.

SUMMARY OF THE INVENTION

15 The Invention offers a method and automated apparatus for the separation, excision, and high throughput handling of protein samples demonstrated via 2D gel for further analysis. The Invention utilizes a laboratory-grade XYZ Gantry robot, a novel approach to the identification of the proteins of interest to be excised, novel tools for the excision of the protein samples from the 2D gels, and novel means for controlling robot
20 and process steps to accomplish selective and automated protein sample excision.

Currently, the process of protein excision is performed by hand, is extremely labor-intensive, and is prone to error. The manual process is also susceptible to

contamination, rendering the protein under analysis virtually useless. The use of the laboratory robot and the novel excision tools described herein will increase the efficiency of protein excision and will greatly reduce contamination by minimizing user handling of the protein samples.

5

BRIEF DESCRIPTION OF THE DRAWINGS

The features and inventive aspects of the present Invention will become more apparent upon reading the following detailed description, claims, and drawings, of which the following is a brief description:

Figure 1 is a logic flow diagram of one approach to proteomic analysis starting
10 with a test or control sample and continuing through intermediate steps to data capture and analysis.

Figure 2 is a schematic diagram of the basic elements of the current Invention.

Figure 3 is an illustration of positions of the robot arm, gel samples, and collection trays.

15 Figure 4 is a top view of an arrangement of gel samples, tips, wash stations, and output trays, and related work areas.

Figure 5 is an illustration of a fixed cutting tool arm and tip.

Figure 6 is an illustration of a cutting tool arm and tip used with interchangeable or disposable tips.

20 Figure 7 is an illustration of an example of a configuration for a gel picking run.

Figure 8 is an illustration of the sample dimensions of a cutting tip with a configured shoulder setback.

Figure 9 is an illustration of a cutting tip with a shoulder setback and conical internal coring cavity.

Figure 10 is an illustration of sample plug cutting and shape using a cutting tip without a configured shoulder.

5 Figure 11 is an illustration of sample plug cutting using a cutting tip with a configured shoulder.

Figure 12 is an illustration of alternative tip or cap insertion into collecting tray wells.

10 Figure 13 is an illustration of automated means to transport and handle pluralities of gel samples and collecting trays.

DETAILED DESCRIPTION OF A PREFERRED EMBODIMENT

The basic process and elements of the Invention are to acquire an image of a processed 2D gel sample using a CCD or other camera or imaging system, analyze the image to find regions of interest and to generate a "pick" list of spot coordinates, sample
15 the selected gel regions by coring a gel plug from each of them, and deposit the core plug into a collection vessel. Steps in this process may include:

- ♦ Presenting 2D gels 30, 38 to the excision working area of the machine
- ♦ Presenting collection trays 40 for holding sample cores to the working area of the machine
- 20 ♦ Presenting coring tips 42 and/or tray caps to the machine
- ♦ Illuminating the gel via a transmissive, reflective, visible, or ultraviolet light source

-
- ◆ Obtaining and capturing an electronic image of the gel by means of a mounted camera 28
 - ◆ Processing the image by computer means 26 to find contrasting areas, for example, by commercially available software
 - 5 ◆ Further electronic processing to identify protein spot areas of interest
 - ◆ Further processing to calibrate geometry of the gel sample and any stored image
 - ◆ Further processing to compare/contrast with database
 - ◆ User processing to identify sampling positions
 - ◆ Generating a list of physical positions to pick from and to link with calibrated
10 identification information
 - ◆ For each pick,
 - ◆ Optionally collecting a new (clean) coring tool or clean the (reusable) tool
 - ◆ moving the picking tool 29, 37 to the required position over the gel
 - ◆ operating the picking tool to remove a core
 - 15 ◆ moving the core to the relevant well 79 in the output tray 40, 41
 - ◆ depositing the core in a well 79
 - ◆ disposing of coring tool (if disposable)
 - ◆ collecting cap 77 from storage area, move to well 79
 - ◆ capping the well
 - 20 ◆ Removing the output tray 88, 91 and gel from the machine at an appropriate time
 - ◆ Downloading a log of picking information to another system to build the results into the (or another) database.

Gel images are usually captured initially by using an imaging system 28 and analyzing the image quantitatively with a commercially available, comprehensive 2-D gel analysis software package, such as Genomic Solutions, Inc.'s Investigator™ 2-D Analyzer Software. The image acquisition hardware provides high accuracy and high resolution
5 and may offer special features to image fluorescent- or radioactive-marked gels.

Once a gel 30, 38 has been imaged and its data added to a database along with data from other gel samples, the gel may be stored for later processing. However, there may be distortion and movement of the gel during storage. If the distortion is not excessive, then the coring can be performed, relative to mechanical registration features
10 on the gel carrier sheet. However, if the distortion is not acceptable, it must be corrected or accounted for prior to picking.

In one embodiment, the Invention may re-image the gel in the picking system to enhance basic accuracy and resolution. The image is then matched to the original stored image within the 2-D analysis software, and calibration factors are derived to match the
15 spot coordinates in the original image with the actual gel sample for spot excision purposes.

The software allows users to optimize automatic spot finding with adjustable parameters. Users may perform database queries to filter information based on existence of spots, quantitative ratios of matched spots, spot integrated intensities, molecular
20 weight, iso-electric point, area, and user-defined spot or image characteristics. The current system creates an image from the gel on the protein-picking robot. This image is subsequently "matched" with an image of the same gel analyzed previously. The process

involves some user interaction to effectively “teach” the gel analysis software where to find the gel’s “anchor points,” which may establish a coordinate system for the gel under analysis.

The protein spots to be excised from the gel are identified via user-initiated queries to the spot image database via the 2-D software. For example, if the user desires to pick the proteins which have been overexpressed in an experimental schema with respect to a control sample, the user may initiate a database query to identify the spots and to relay their image coordinate positions to the picking robot.

Analytical software on the market already calculates the size of the spots, typically in square millimeters. The user or the software determines which spots are of interest, and the software creates a picking list with the coordinates of the spots within the image to be excised and the size of each spot. The pick list is created upstream from the picking process in a database of spots, taking individual images, and matching them together.

Optical calibration marks can be applied to the face of the gel carrier plate 31, 39, 77. These can be imaged by a high-performance imaging system, for example, the Investigator™ 2-D Analysis System, as well by lower performance cameras or imaging systems fitted to the picking system. Thus, the picking system can be used to re-image the gel sheet, and a match can be made to the “main” image, which was captured using a high-performance imager.

To further automate the protein picking process described herein, the Invention may use the incorporation of specific fluorophores to the proteins and specifically to the

gel image anchor points. When excited by light of appropriate wavelength, the fluorophores incorporated into the gel's anchor points will emit light of a characteristic wavelength that can be imaged separately from the "study" proteins in the same gel. The anchor points are then imaged using an imaging system 28, such as a CCD camera or other imaging system, on the picking robot, and a segmentation algorithm will be applied to the digital image to determine the coordinates of the anchor points.

Alternatively, the additional reference marks may show contrast in both visible light and by fluorescence. Using such marks, the gel may be imaged first in a special fluorescent imaging system, separate from the picking system. Subsequently, the gel is imaged by a camera built into the picking system using visible-light contrast rather than fluorescent emission from the gel. This allows picking from gels stained by fluorophores even though the picking system is insensitive to the fluorescent emission. The two images (one from the separate fluorescent imaging system and the other from the camera built into the picking system) are matched using the reference marks since these are visible in both images. Once matched, the locations of desired (fluorescently marked) locations can be translated to the visible-light image and used as coordinates from which to pick.

At the beginning of the picking cycle (Figure 3), the operator mounts the gel on the gel carrier. 2D gels can be fragile and prone to tearing, creating some difficulty in transferring them from one substrate to another without damage or geometric distortion. In proteomic analysis, the registration of the gel must be maintained between imaging and picking in order to avoid degradation in accuracy. Because the imaging and picking may be done at different times and/or in different machines, it is important to be able to

transfer the gel without distortion. This may be done by supporting the gel on a substrate

that will not stretch and which has reference points that may be used in imaging and picking to ensure correct positioning. The present Invention may use a simple sheet of acrylic or silica glass, called a gel carrier sheet. The gel sheet is loose-laid onto a hard, smooth support. Alternatively, the gel may be fixed to a stretch-resistant substrate by, for example, proprietary materials such as "Gel Bond". Immobilizing the gel in this way eases the handling difficulties and reduces geometric distortion

In the present embodiment, the gel carrier may be part of the robot, or an intermediate carrier that can be detached from the robot and used to transport the gel on the carrier. The gel carrier may be comprised of a fixture plate, a gel carrier, and a gel plate, all fitting on top of the other. The sheet can also have both mechanical and optical registration features. These are functionally transparent in order to permit transmission from the illumination source or have holes to permit transmission of light. Optionally, the substrate must also transmit UV light in order to allow UV illumination of gels marked with fluorescent dyes.

In any case, the light source can be fluorescent tubes or other suitable source. With the camera (or other imaging device) typically positioned above the gel, light may be passed upwards through the gel from beneath (transillumination) or shone downwards from above (epi-illumination). To aid spot finding by automatic processes, it is important that the illumination is maximally uniform. For transillumination, this is typically achieved with a diffusing grid or panel.

The gel carrier is then transported to and mounted in the excision work area within the illumination zone. Once the gel has been placed in the carrier and moved to the sampling position, a camera may be used to determine protein spot locations in order to align the gel carrier's coordinate system with that of the previously analyzed image of the gel. In one embodiment, the camera is fixed to the moving head on the robot arm that can be used to image part of the gel (Figure 2). The resulting images may be processed separately, or the individual "frames" from the camera image may be tiled to form a larger image. In another embodiment, the camera may be a high-resolution camera fixed above the gel, either above the head or not, in order to produce a single image.

When the images are obtained, the spots of interest are located by commercially available software in the controlling computer or in one or more other computers linked to the controlling computer 26. The analytical product gives XY coordinates for spot of interest for excision. Once the spots are found, certain picking criteria may be applied. By way of example, spot locations may be known to correspond with certain known proteins, or other spots found by comparison to images in the database may be selected for excision. The operator may employ different selection criteria using the images on the controlling computer or the associated computer and translated by means of operation of the computer back to the controlling arm. The communication contains one or more coordinates from which the computer will direct the arm to pick.

The controlling computer 26 (Figure 2) performs a number of functions electronically, including controlling the motion commands 27 for the robot, executing tip pick-up and eject cycles, controlling the valves 34 to operate the feed of pressured gas or

air, controlling solenoid valves 34 or syringe pump valves 32, and controlling the vacuum cycles and eject cycles for the samples themselves. Means for generating and implementing commands for such functions will be apparent to those skilled in the art. The controlling computer may be a single computer or a number of linked computers that intercommunicate so that individual tasks can be distributed 26. The camera on the robot may communicate with that computer, an additional computer, or an additional image processing system of other forms. The controlling computer may also communicate with another computer to control the automatic stacking and handling of plates or carriers (Figure 13) in and out of the robotic system itself.

10 Mapping between image coordinates and robot coordinates is coordinated through a calibration procedure using a test target or targets. The coordinates are translated from stored spot image coordinates to robot coordinates by means of a mapping translation that performs a mathematical match between a test target position with known physical locations and coordinates from spot finding for that target. This is preferably part of the means in the controlling computer that controls the robot but may be embodied separately.

Once picking coordinates have been established and communicated to the motion controller, the robot has a list of coordinates to pick from and may begin the picking cycle. The basic cycle takes the robot head to a drain position over a waste collection trough 43 (Figure 4) 85. To achieve good performance, it is important to prevent cross contamination between successive coring operations. The target proteins are normally held within the gels, but should particles of gel be carried over from one coring operation

to the next, then there is the potential for contamination. Fluid is discharged through the tip by cycling the syringe pump in order to wash out debris and to ensure that the system is filled with fluid. The fluid 33 used during the picking cycle must match that used during pretreatment of the gel so that mismatch in composition of the fluids does not
5 cause shrinkage or expansion of the gel, Such fluids may be water, 10% ethanol/water, 10% ethanol/2% glycol/water, or other compatible fluids.

In one embodiment using an interchangeable tip, the tips are held in a separate rack 42, 84. At the beginning of a picking run, the robot picks up a tip. With interchangeable tips, the robot may be instructed to use one tip for the whole picking run,
10 or to use a new tip for each picked spot during the picking run, putting the tip away and collecting a new one, for example, to reduce the possibility of cross-contamination among samples. Optionally the controlling computer may be programmed to direct a washing procedure so that each of the interchangeable tips are put through a washing procedure automatically in the absence of a gel, through optional water, other solvent or
15 ultrasonic baths 43, 44, 83.

In a preferred embodiment, the gel may be irrigated during the picking. At a predetermined interval selected by the operator, the picking tool 29, 37 may begin an irrigation process comprised of moving the head back and forth across the gel in a raster fashion, dropping fluid as it proceeds. The patterns may repeat, change directions, or the
20 wetting pattern may be shifted by a fraction of the line pitch, for example, to irrigate in the gaps between previous lines in order to enhance uniform irrigation. Excess fluid

during irrigation runs off the gel onto the carrier plate 39 into a waste collection trough

85.

The robot arm may be used with a fixed tip with a semipermanent connection (Figure 5), or an interchangeable tip that may be disposable or reusable (Figure 6). Fixed tips may be made of stainless steel or similar metal known to one skilled in the art that is low corrosion and high cleanliness, cleanable with corrosive solvents with no leeching from the materials. The interchangeable or disposable tips may be made of various polymers, such as polypropylene, nylon, or POM (acetal) materials, or other suitable materials.

To minimize contamination, the tip may be cleaned between coring operations or it may be replaced (i.e. a disposable coring tip). The latter approach is preferred for best performance. The tips may be of the same diameter, or different diameters may be selected according to different spot parameters, such as spot diameter or optical density.

A robotic manipulator 25 optionally carries a tool gripper. When interchangeable tips are used, the head gripper on the robot arm has means to grip, hold and eject the tips, an eject spring 53 with an associated sleeve 59, and an inflatable cuff 57 (Figure 6). There are two feeds to the head gripper. One feed 54 provides fluid pressure or vacuum through the gripping tip to a picking tip from the syringe pump 32 and fluid reservoir 33 to enable gel core extraction and ejection. The gripper has a cylindrical elastic cuff 57 that can be expanded by internal gas or liquid pressure. The second feed 35, 55 supplies the cavity 56 between the inflatable cuff 57 and the body of the gripper 52. That cavity is inflated with air, other gas or fluid to push out the cuff to grip the internal wall of the tip.

The cuff inflation pipe 55 communicates through the body of the gripper to the cavity 56 behind the inflatable cuff 57 for all interchangeable and disposal tips.

When no interchangeable tip is in place, the robot arm 25 with the gripper 52 may be cycled to the tip rack, moved so that gripper 52 inserts into the cavity of a tip 58, and lowered to depress the eject spring 53. Pressure is then applied to the inflatable cuff 57 so that it inflates and grips inside of the tip. The gripper is then withdrawn vertically with the tip in place. The eject spring 53 remains compressed due to the insertion into the cutting tip 58. After the gel coring operation has been performed, the cuff pressure may be released, thereby releasing the gripping pressure and permitting the eject spring (with a force, for example, of a range of $\frac{1}{2}$ - 1 Newton) to eject the interchangeable tip. There is an intermediate sleeve 59 between the eject spring and the disposable or interchangeable tip to bear between the spring and the end of the tip.

With a fixed picking tip (Figure 5), there are no inflatable cuffs, and the cutting edge 51 is built as part of the gripping tool with a single fluid way 50 and attached to the moving head of the robot with semi-permanent means.

There are variations in configuration and dimensions of the cutting tips. Simple trials on 1.5 mm gels suggest the preferred tip dimensions shown in Figure 8. In one embodiment, the lead edge 69 of the cutting tip may have an inside diameter of 1.3 millimeters and an outside diameter of 1.5 millimeters, with a shoulder 68 setback of 0.4 millimeters from the lead edge 69. The internal diameter of the cutting tip may range from 0.5 mm up to 5 mm, with a fine cutting edge width, for example about 0.1 mm width, and a sharpened and preferably beveled edge.

It would be beneficial to apply a radius to the outer corner of the shoulder 68 to minimize damage to the gel in the vicinity of the pick. The setback of the shoulder and the outer diameter of the outer shoulder may be varied according to the gel thickness and mechanical properties, such as elasticity, tear and tensile strength. The depth of the shoulder and the overall diameter may be optimized for a particular gel thickness and gel properties. The above referenced dimensions are typical cutting tip dimensions for use with 1 mm to 1.5 mm thickness duracryl gels. With a thicker gel, the 4 mm outside diameter and the shoulder setback are increased. For a weaker gel with a lower tensile strength for a given amount of elasticity, the cutting setback shoulder depth would be increased.

In one preferred embodiment (Figure 9), the internal shape of tip is optimally conical to create a tapered core cavity 73 to the tip. This improves reliability of ejection of gel plugs after picking. If the cavity is cylindrical, there is a possibility that during ejection by fluid pressure, the plug may twist in the cavity about an axis perpendicular to the axis of the tool. This creates an escape path for the ejection fluid and consequently the plug may not eject. This mode is similar to the action of a butterfly valve so is known as a "butterfly valve" failure. Making the internal cavity conical restricts the ability of the plug to rotate so improving reliability. The dimensions optimally include a 14-degree taper on each side of the cavity 73 beginning at the internal edge of the bevel. The internal tapered cavity may be polished to avoid gripping on any rough surface. The depth of the cavity is matched to the depth of the thickness of the gel, typically equal to the thickness of the gel.

As a plug is cut, the gel may deform in such a way that the resulting plug shape is “mushroom”-shaped 74 (Figure 10). This shape has two main effects: (1) during vacuum extraction, there is a tendency to ingest the plug into the body of the picking tip; and (2) the amount of material in the plug is substantially reduced, leading to a plug sample that is smaller yet material is still taken from a larger area, resulting in poorer sample/background ratio or overall resolution.

The shoulder 71 on the cutting tip may be used to change the shape of the resulting core sample (Figure 11). If one is less concerned about the shape of plug, or if one is cutting large sample plugs (in comparison to the thickness of the gel) where mushrooming is less significant, one need not use the shoulder. In other circumstances, the shoulder tends to push material back under the tip to counteract the distortion caused by the cutting force. Shoulder depth and shoulder diameter are parameters that need to be set to match a given gel thickness, stiffness and cutting strength. The match is not critical, however, as variances result in relatively small changes in plug shape.

In the preferred embodiment, this sample shape is addressed by producing “conical” plugs 75 (Figure 11). The degree of “conicality” depends upon the ratio of tip diameter to gel thickness and the cutting force relative to the gel stiffness. The cutting force is a function of cutting perimeter, edge sharpness and gel properties. In practice, a conicality ratio of around 2:1 (max diameter to min diameter) is common.

As the picking cycle continues, the tip is purged at the waste collection trough 43, 85, with fluid cycled through it from the fluid reservoir 33 using the syringe pump 32 to ensure that the tip is clean and that the system is purged of air with a full complement of

fluid. The robot then is commanded to the X-Y position on the gel and spaced off the gel by a small distance, such as 5 mm. Optionally, a small amount of fluid, such as 40 microliters, is dispensed from the picking tip onto the gel in a prewetting step so that the picking target is prewetted.

- 5 Air is then aspirated back into the tip to form an air lock volume, such as 100 ul. The picking tip is lowered onto the gel until the spring 60 supporting the picking tip compresses, defining the cutting force 64 and cutting through the gel to the hard gel support (Figure 7). The cutting tool has a hollow cutting tip 65 of selected size and shape that is pressed down through the gel sheet until it meets the supporting sheet (Figure 7).
- 10 The tip may be spring-loaded to limit the insertion force and to accommodate inaccuracies in the vertical registration of the tool to the supporting sheet. A preferred spring force is approximately 3 newtons.

 The syringe pump 32 is then operated in suction mode to withdraw a small volume of fluid, such as approximately 70 microliters, forming a partial vacuum that is

15 applied through the feed line into the picking tip that has been sealed by insertion into the gel. The aspirated air acts like a spring to control the amount of vacuum applied to the plug. This aspirated airlock also acts to separate the contaminated zone in the coring tool, preventing gel particles or other contaminants from being taken up into the gripper or the feed tube. It is important that the airlock is not too large as this increases the ejection

20 compliance that can hinder placement of the core in the well. A small compliance is, however, advantageous during core extraction as it helps maintain a partial vacuum (as the core is taken from the gel sheet) if there is a small leak around the core in the tip.

To remove the core, the tool is withdrawn, taking the gel plug with it. However, the softness and wet state of the sheet may cause problems. Firstly, as the tool presses in, the gel under the cutting edge distorts and tends to move outwards (away from the axis of the tool). A second problem also relates to removal; as the tool is pulled out, a vacuum develops under the tip. This is not relieved as the wetness of the sheet maintains a good seal and the result may be that the core is left in the sheet. The Invention addresses these issues by:

- ◆ As discussed above, by applying vacuum to the top of the gel plug via the tool to hold the core in the tool
- 10 ◆ Optionally, once the core has been cut, by moving the tool laterally for small distances (for example, $\frac{1}{2}$ mm) before removing it from the sheet. This overcomes any gel adherence to the underlying carrier and breaks any vacuum that may exist between the plug and the gel itself by opening a small gap between the outside of the tool and the remainder of the sheet to allow air (or free fluid) under the edge of the tool.

15 The tip is then lifted out of the gel and transported with the cut plug to the collection tray 40, which is typically a ninety-six (96) well microtiter plate. Gel plugs are placed individually into small wells in the microtiter plates. The narrow portion of the picking tip is lowered partially into the well (Figure 12). A small amount of fluid is dispensed via the syringe plug, ejecting the core sample. The fluid will include the air lock volume, plus the backoff volume, plus a small volume, such as a net 100 microliters, pushing the plug out of the cup in the end of the tip, capturing the plug in a droplet, and

dropping the droplet off the tip into the well. Use of liquid in contrast to gas pressure to eject the plug reduces the ejection velocity, which can cause the ejected sample to bounce around within the collection vessel. Liquid ejection is a much slower, controlled process ensuring that the sample is deposited in the bottom of the well captured in fluid to keep it hydrated if the plate goes into storage. The plates may then be covered manually or automatically, with adhesive plates or otherwise fixed coverings (for example plastic sheet heat-sealed to the open tops.)

With interchangeable tips, the tip may be put down or disposed, and a cap that fits the gripper may be picked up and pushed into the collection tray with the spring, plugging the microtiter well (Figure 12).

In one embodiment, the caps are fitted into the coring tips, and the resulting stacks placed in the wells. In the machine, the gripper first takes hold of the inner cap and lifts the cap and coring tip combination out of the tray. In this embodiment, the coring tip is used to extract a core from the gel and deposit it back into the vacant well in the tray. A stripping device is provided in the machine into which the used coring tip is inserted. This holds onto the coring tip, and the cap is pulled out of the coring tip by the gripper. A flange may facilitate this operation. The coring tip falls to waste from the stripping device, and the robotic manipulator replaces the cap into the tray well.

If the coring tips are made so their major bores match those of the tray wells, then the caps can be fitted either into the tray wells or into the coring tips. This allows both the caps and coring tips to be pre-loaded into the trays before the trays are presented to the machine. It will be evident that the cap must have a hole to allow pressure/vacuum to

pass to the coring tip. This may permit subsequent stages of processing where it is necessary to insert a probe into the well, such as to permit protein digestion. The hole in the cap is made to match the dimensions of the probe to provide the partial seal around the probe necessary for the particular fluid handling. The robot cycles to pick up a new tip, to perform another wash bath cycle and then the next cycle is started.

One embodiment may include an autoloader, thus permitting several picking runs to be performed (Figure 13). Once spots are picked from a gel, the gel may be shunted off the bed of the machine into an automatic stacker 89, and the next gel is placed on the machine for picking. The existing output tray 88 may continue to be filled, or additional output trays 91 may be loaded to match trays with gels. The gel carrier 86 moves back and forth in the stacking system. Each gel would have a removable lid that would be automatically removed before the gel is placed on the robot. A separate part of the stacking system takes the carrier out of the stack, removes the lid, optionally retaining the lid or placing it back in the stack, and then places the carrier with the exposed gel on the bed of the robot (optionally via a vacant position in the stack). Vertical stacks of pigeonholes take gel carrier or sets of output plates for automatic dispersal.

Preferred embodiments of the present Invention have been disclosed. A person of ordinary skill in the art would realize, however, that certain modifications would come within the teachings of this invention, and the following claims should be studied to determine the true scope and content of the invention. In addition, the methods and structures of the present invention can be incorporated in the form of a variety of embodiments, only a few of which are described herein. It will be apparent to the artisan

that other embodiments exist that do not depart from the spirit of the invention. Thus, the described embodiments are illustrative and should not be construed as restrictive.

CLAIMS

What is claimed is:

1. An apparatus for automated excision of one or more samples from a sample media, comprising:
 - 5 a. a device for electronically capturing one or more traits respectively associated with one or more samples present in a sample media, and
 - b. a microprocessor linked to said device for analyzing one or more of said electronically captured traits of one or more of said samples, wherein said microprocessor accesses a database of
10 reference traits and compares at least one electronically captured trait of at least one sample against one of said reference traits in said database of reference traits, wherein the microprocessor identifies one or more samples of interest as a result of comparing
15 at least one of said electronically captured traits against one of said reference traits.
2. The apparatus of claim 1, further including a robotic excision tool coupled to said microprocessor, wherein said microprocessor commands said robotic excision tool to excise at least one sample of interest.
- 20 3. The apparatus of claim 2, wherein said microprocessor commands said robotic excision tool to irrigate said sample media with fluid from a fluid reservoir.

4. The apparatus of claim 2, wherein said robotic excision tool includes a plurality of excision cutters.

5. The apparatus of claim 4, wherein said microprocessor associates at least one said sample of interest with one of said plurality of excision cutters and
5 commands said robotic excision tool to select one associated excision cutter for excision of the associated sample.

6. The apparatus of claim 2, wherein said microprocessor identifies location coordinates for said sample of interest in said sample media.

7. The apparatus of claim 6, wherein said microprocessor commands said
10 robotic excision tool to excise said sample of interest at said coordinates.

8. The apparatus of claim 6, wherein said microprocessor identifies said location coordinates by deriving and applying calibration factors from comparison of one or more of said electronically captured traits with one or more of said reference traits.

15 9. The apparatus of claim 1, wherein said sample media includes a two-dimensional electrophoresis gel sample.

10. The apparatus of claim 1, further including an illuminating source for illuminating said sample media.

11. The apparatus of claim 1, wherein said device is a camera and wherein
20 said trait is an optical trait.

12. The apparatus of claim 1, wherein said sample media is located on a substrate.

13. The apparatus of claim 12, wherein said substrate is a stretch-resistant substrate.

14. The apparatus of claim 12, wherein said substrate contains reference marks.

5 15. The apparatus of claim 1, wherein said sample media contains fluorophores.

16. The apparatus of claim 1, wherein one or more of said samples contains fluorophores.

10 17. The apparatus of claim 2, wherein said microprocessor commands said robotic excision tool to deposit said excised sample of interest into a sample receptacle.

18. The apparatus of claim 17, wherein said excised sample is deposited into said sample receptacle along with a volume of fluid from a fluid reservoir.

15 19. The apparatus of claim 17, wherein said microprocessor commands said robotic excision tool to excise and deposit a plurality of said samples of interest sequentially into a plurality of said sample receptacles.

20. The apparatus of claim 17, wherein said microprocessor commands said robotic excision tool to pick up and place a cap on said sample receptacle.

20 21. The apparatus of claim 17, where said robotic excision tool has means for sequentially processing a plurality of said sample media.

22. The apparatus of claim 17, wherein aid robotic excision tool has means for sequentially processing a plurality of said sample receptacles.

23. The apparatus of claim 2, wherein said robotic excision tool has an excision cutting tip containing a conical cavity.

24. The apparatus of claim 2, wherein said robotic excision tool has an excision cutting tip that bears a sharpened cutting edge.

5 25. The apparatus of claim 24, wherein said sharpened cutting edge is beveled.

26. The apparatus of claim 2, wherein said robotic excision tool has an excision cutting tip with a shoulder surface and a cutting edge, said shoulder being set back vertically from said cutting edge.

10 27. The apparatus of claim 2, wherein said robotic excision tool has an excision cutting tip that is fixed on said excision tool by semi-permanent means.

28. The apparatus of claim 2, wherein said robotic excision tool has an excision cutting tip that is interchangeable.

15 29. The apparatus of claim 28, wherein said robotic excision tool has means to grip and eject said interchangeable tip.

30. The apparatus of claim 28, wherein said robotic excision tool includes means for automatically disposing of said interchangeable tip.

31. The apparatus of claim 29, wherein said microprocessor commands said robotic excision tool to grip and eject said interchangeable tip.

20 32. The apparatus of claim 29, wherein said means to grip and eject said interchangeable tip includes a cylindrical inflatable cuff, an ejection spring, and means to control pressure to and from said inflatable cuff from pressure sources.

33. The apparatus of claim 32, wherein said pressure is fluid pressure.

34. The apparatus of claim 32, wherein said pressure is gas pressure.

35. The apparatus of claim 2, wherein said robotic excision tool has means to eject said excised sample of interest into a sample receptacle.

5 36. The apparatus of claim 35, wherein said means cycles and discharges fluid from a fluid reservoir through said robotic excision tool by means of a pump.

37. The apparatus of claim 36, wherein said microprocessor commands said pump to sequentially discharge, withdraw, or further discharge said fluid through said robotic excision tool.

10 38. The apparatus of claim 2, wherein said microprocessor commands said robotic excision tool to displace laterally after contact with said sample of interest.

39. A method for automating the excision of one or more samples from a sample media, comprising the steps of:

- 15 a. capturing electronically one or more traits respectively associated with one or more samples present in a sample media,
- b. comparing one or more of said captured traits against a database of reference traits,
- c. as a result of step b), selecting a sample of interest from one or more samples present in said sample media,
- 20 d. establishing reference coordinates of said sample of interest,
- e. associating a coring tool with said sample of interest, and

f. automatically excising said sample of interest with said coring tool
by reference to said coordinates.

40. The method of claim 39, further including the step of recapturing said one or more traits and comparing the captured traits against the recaptured traits to derive a calibration factor.

41. The method of claim 39, further including the step of mounting said sample media on a substrate that contains reference marks.

42. The method of claim 39, wherein said comparing of step b) includes comparing at least one of the following traits against a database of reference traits: quantitative ratios of match samples, sample integrated intensities, sample molecular weight, sample isoelectric point, sample area, or sample density.

43. The method of claim 39, further including the step of illuminating the sample media with ultraviolet light,

44. The method of claim 39, further including the steps of automatically disposing of the coring tool and selecting a new coring tool.

45. The method of claim 39, further including the step of automatically cleaning the coring tool.

46. The method of claim 39, wherein step e) further includes selecting a coring tool from a plurality of coring tools.

47. The method of claim 39, further including the step of depositing said excised sample of interest into a sample receptacle.

48. The method of claim 47, further including the step of automatically depositing
a plurality of said excised samples of interest into a plurality of sample receptacles.

49. The method of claim 47, further including the step of ejecting said excised
sample of interest by discharging fluid from a fluid reservoir associated with said coring
5 tool into said sample receptacle.


50. The method of claim 39, further including the step of providing a coring tool
with a conical coring cavity.


51. The method of claim 39, further including the step of providing a coring tool
that is interchangeable.

10 52. The method of claim 51, further including the step of gripping said
interchangeable coring tool through inflation of a cylindrical inflatable cuff inside the
coring tool by liquid or gas pressure.

53. The method of claim 52, further including the step of ejecting said
interchangeable tool by releasing said pressure inside said inflatable cuff and applying
15 force to said interchangeable tool with an ejection spring.

54. The method of claim 39, further including the step of providing a sample
media that is a two-dimensional gel electrophoresis sample.



**FIGURE 2**




FIGURE 3





FIGURE 4

**FIGURE 5**




FIGURE 6





FIGURE 7

**FIGURE 8**




FIGURE 9




FIGURE 10

SUBSTITUTE SHEET (RULE 26)






FIGURE 11




FIGURE 12




FIGURE 13

INTERNATIONAL SEARCH REPORT

International Application No

PCT/GB 00/00573

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 G01N27/447

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 G01N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 4 684 244 A (BUTTS GENE A ET AL) 4 August 1987 (1987-08-04) column 3, line 51 -column 9, line 10	1
A	---	2-54
X	WO 98 23950 A (BRUCE JAMES ALEXANDER ; OXFORD GLYCOSCIENCES UK LTD (GB); PLATT ALB) 4 June 1998 (1998-06-04) page 3, line 26 -page 5, line 22 the whole document	1, 39
A	---	2-38, 40-54
A	WO 98 59092 A (LARGE SCALE BIOLOGY CORP) 30 December 1998 (1998-12-30) cited in the application page 35, line 7 -page 37, line 21 -----	10, 11

☐ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

15 June 2000

Date of mailing of the international search report

26/06/2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Müller, T

INTERNATIONAL SEARCH REPORT

Information on patent family members

Int. l. Application No

PCT/GB 00/00573

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 4684244	A	04-08-1987	NONE	
WO 9823950	A	04-06-1998	AU 713259 B	25-11-1999
			AU 5230098 A	22-06-1998
			EP 0941477 A	15-09-1999
			NO 992583 A	28-07-1999
			US 6064754 A	16-05-2000
			ZA 9710792 A	01-12-1998
WO 9859092	A	30-12-1998	US 5993627 A	30-11-1999
			EP 1003925 A	31-05-2000

INVOICE No. 1656

Haseltine Lake & Co.

Date (Tax Point) 7th July 2000

Accounts & Records Department
Redcliff Quay
120 Redcliff Street, Bristol BS1 6HU
United Kingdom

Your Ref: 65446-004 PCT

V.A.T. Reg. No. GB 232 4047 02

Tel: (0117) 910 3200

Telex: 449559 LAKES G

Fax: (0117) 910 3201

Rader, Fishman & Grauer PLLC
1533 North Woodward Avenue
Suite 140
Bloomfield Hills
MI 48304
U.S.A.

The partners (owners) of Haseltine Lake & Co. are

M.R.Jones	D.A.Nash	U.M.Benedum
G.S.Bedggood	T.C.Stebbing	P.M.Hitching
W.Silverman	C.L.Fenlon	M.H.Krause
M.J.Abrams	D.C.O'Connell	A.S.Giles
J.R.A.M.Cheyne	J.More O'Ferrall	
J.H.Sunderland	C.S.Gibbs	

Client No. : RAD14

Our Ref: PM/74491000/TAG

Re: P.C.T. Patent Application No. PCTGB0000573 in the name of Genomic
Solutions, Inc.
Excising proteins from gels

Issuing reminder(s), requesting extensions of time for
filing the powers of attorney in support of this
application, liaising with inventors concerning the
furnishing of powers of attorney, noting issuance of the
search report on this application and reporting to you,
copying documents, postage/telephone.

U.S. Dollars

353.60

Total Taxable
VAT at zero rate

353.60
0.00

TOTAL

US\$353.60

INTERNATIONAL SEARCH REPORT

International Application No

PCT/GB 00/00573

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 G01N27/447

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 G01N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 4 684 244 A (BUTTS GENE A ET AL) 4 August 1987 (1987-08-04) column 3, line 51 -column 9, line 10	1
A	----	2-54
X	WO 98 23950 A (BRUCE JAMES ALEXANDER ; OXFORD GLYCOSCIENCES UK LTD (GB); PLATT ALB) 4 June 1998 (1998-06-04) page 3, line 26 -page 5, line 22 the whole document	1, 39
A	----	2-38, 40-54
A	WO 98 59092 A (LARGE SCALE BIOLOGY CORP) 30 December 1998 (1998-12-30) cited in the application page 35, line 7 -page 37, line 21 -----	10, 11

☐ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

15 June 2000

Date of mailing of the international search report

26/06/2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Müller, T

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/GB 00/00573

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 4684244 A	04-08-1987	NONE	
WO 9823950 A	04-06-1998	AU 713259 B	25-11-1999
		AU 5230098 A	22-06-1998
		EP 0941477 A	15-09-1999
		NO 992583 A	28-07-1999
		US 6064754 A	16-05-2000
		ZA 9710792 A	01-12-1998
WO 9859092 A	30-12-1998	US 5993627 A	30-11-1999
		EP 1003925 A	31-05-2000

PATENT COOPERATION TREATY

PCT


INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

REC'D 22 MAY 2001

WIPO PCT

14

Applicant's or agent's file reference HL74491/000/JC		FOR FURTHER ACTION See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416)	
International application No. PCT/GB00/00573	International filing date (day/month/year) 17/02/2000	Priority date (day/month/year) 17/02/1999	
International Patent Classification (IPC) or national classification and IPC G01N27/447			
Applicant GENOMIC SOLUTIONS INC. et al.			
<p>1. This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36.</p> <p>2. This REPORT consists of a total of 6 sheets, including this cover sheet.</p> <p><input type="checkbox"/> This report is also accompanied by ANNEXES, i.e. sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).</p> <p>These annexes consist of a total of sheets.</p>			
<p>3. This report contains indications relating to the following items:</p> <ul style="list-style-type: none"> I <input checked="" type="checkbox"/> Basis of the report II <input type="checkbox"/> Priority III <input type="checkbox"/> Non-establishment of opinion with regard to novelty, inventive step and industrial applicability IV <input type="checkbox"/> Lack of unity of invention V <input checked="" type="checkbox"/> Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement VI <input type="checkbox"/> Certain documents cited VII <input checked="" type="checkbox"/> Certain defects in the international application VIII <input checked="" type="checkbox"/> Certain observations on the international application 			
Date of submission of the demand 15/09/2000		Date of completion of this report 18.05.2001	
Name and mailing address of the international preliminary examining authority:  European Patent Office D-80298 Munich Tel. +49 89 2399 - 0 Tx: 523656 epmu d Fax: +49 89 2399 - 4465		Authorized officer Müller, T Telephone No. +49 89 2399 2285	



**INTERNATIONAL PRELIMINARY
EXAMINATION REPORT**

International application No. PCT/GB00/00573

I. Basis of the report

1. With regard to the **elements** of the international application (*Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17)*):
Description, pages:

1-24 as originally filed

Claims, No.:

1-54 as originally filed

Drawings, sheets:

1/13-13/13 as originally filed

2. With regard to the **language**, all the elements marked above were available or furnished to this Authority in the language in which the international application was filed, unless otherwise indicated under this item.

These elements were available or furnished to this Authority in the following language: , which is:

- ☐ the language of a translation furnished for the purposes of the international search (under Rule 23.1(b)).
- ☐ the language of publication of the international application (under Rule 48.3(b)).
- ☐ the language of a translation furnished for the purposes of international preliminary examination (under Rule 55.2 and/or 55.3).

3. With regard to any **nucleotide and/or amino acid sequence** disclosed in the international application, the international preliminary examination was carried out on the basis of the sequence listing:

- ☐ contained in the international application in written form.
- ☐ filed together with the international application in computer readable form.
- ☐ furnished subsequently to this Authority in written form.
- ☐ furnished subsequently to this Authority in computer readable form.
- ☐ The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.
- ☐ The statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished.

4. The amendments have resulted in the cancellation of:

- ☐ the description, pages:
- ☐ the claims, Nos.:

**INTERNATIONAL PRELIMINARY
EXAMINATION REPORT**

International application No. PCT/GB00/00573

☐ the drawings, sheets:

5. ☐ This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed (Rule 70.2(c)):

(Any replacement sheet containing such amendments must be referred to under item 1 and annexed to this report.)

6. Additional observations, if necessary:

V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)	Yes:	Claims	
	No:	Claims	1-54
Inventive step (IS)	Yes:	Claims	
	No:	Claims	1-54
Industrial applicability (IA)	Yes:	Claims	1-54
	No:	Claims	

2. Citations and explanations
see separate sheet

VII. Certain defects in the international application

The following defects in the form or contents of the international application have been noted:
see separate sheet

VIII. Certain observations on the international application

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made:
see separate sheet

**INTERNATIONAL PRELIMINARY
EXAMINATION REPORT - SEPARATE SHEET**

International application No. PCT/GB00/00573

Reference is made to the following documents:

D1: WO-A-9823950

D2: US-A-4684244

Re Item V

Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Insofar the claims can be understood at present (see section VIII of the present international preliminary examination report) the subject-matter of claims 1 - 54 does not meet the requirements of Article 33(2) PCT, the reasons being as follows:

D1 discloses an apparatus for rapidly and efficiently identifying and characterizing biomolecules, for example proteins, in a biological sample. Samples are separated by isoelectric focusing and stably maintained in a two dimensional array for subsequent imaging. The two-dimensional array is imaged with a detector to generate a computer-readable output that contains a set of x,y coordinates and a signal value for each detected biomolecule. The computer-readable profiles are suitable for computer mediated analysis to identify one or more biomolecules that satisfy specified criteria. A computer generates machine-readable instructions that direct a robotic device to remove one or more portions of the two-dimensional array that contain the selected biomolecule and to deliver the removed portions to one or more vessels for further characterization (page 3, line 26 - page 5, line 22).

Therefore the subject-matter of claims 1-38 is not new as required by Article 33(2) PCT.

A similar argument would apply with respect to the corresponding method claims 39 - 54.

2. Insofar the claims can be understood at present (see also section VIII of the present international preliminary examination report) prior art document D2 discloses also all structural features of claim 1 that is an optical head or detector

**INTERNATIONAL PRELIMINARY
EXAMINATION REPORT - SEPARATE SHEET**

International application No. PCT/GB00/00573

68, sample plates 76 which are driven in X-Y directions and a microprocessor 40 in order to produce optical density data, see figure 3 (Article 33(2) PCT).

Re Item VII

Certain defects in the international application

1. Independent claims are not in the two-part form in accordance with Rule 6.3(b) PCT, which in the present case would be appropriate, with those features known in combination from the prior art (document D1) being placed in the preamble (Rule 6.3(b)(i) PCT) and with the remaining features being included in the characterising part (Rule 6.3(b)(ii) PCT).
2. The features of the claims are not provided with reference signs placed in parentheses (Rule 6.2(b) PCT).
3. Contrary to the requirements of Rule 5.1(a)(ii) PCT, the relevant background art disclosed in the document D1 is not mentioned in the description, nor is this document identified therein.

Re Item VIII

Certain observations on the international application

1. The subject-matter of independent claims 1 and 39 does not meet the requirements of Article 6 PCT, the reasons being as follows:

The wording "electronically capturing one or more traits associated with samples" is vague and not clear, because the term "electronically" implies an electronic circuit, with no further definition of some structural feature. Furthermore, "capturing traits" seems to be related to the acquisition of data of traits and not the traits themselves. According to the description, which does not mention or explain the term "electronically capturing", the feature seems to be related to "obtaining and capturing an electronic image of the gel by means of a mounted camera 28".

2. The vague and imprecise statement related to the "spirit of the invention" in the description on page 24 implies that the subject-matter for which protection is

**INTERNATIONAL PRELIMINARY
EXAMINATION REPORT - SEPARATE SHEET**

International application No. PCT/GB00/00573

sought may be different to that defined by the claims, thereby resulting in lack of clarity (Article 6 PCT) when used to interpret them (see also the PCT Guidelines, III-4.3a).

From the
INTERNATIONAL PRELIMINARY EXAMINING AUTHORITY

PCT

To:

Cheyne, John Robert.A.M.
HASLTINE LAKE & CO.
Imperial House
15-19 Kingsway
London WC2B 6UD
GRANDE BRETAGNE

**NOTIFICATION OF TRANSMITTAL OF
THE INTERNATIONAL PRELIMINARY
EXAMINATION REPORT**

(PCT Rule 71.1)

Date of mailing
(day/month/year)

18.05.2001

Applicant's or agent's file reference
HL74491/000/JC

IMPORTANT NOTIFICATION

International application No.
PCT/GB00/00573

International filing date (day/month/year)
17/02/2000

Priority date (day/month/year)
17/02/1999

Applicant
GENOMIC SOLUTIONS INC. et al.

1. The applicant is hereby notified that this International Preliminary Examining Authority transmits herewith the international preliminary examination report and its annexes, if any, established on the international application.

2. A copy of the report and its annexes, if any, is being transmitted to the International Bureau for communication to all the elected Offices.

3. Where required by any of the elected Offices, the International Bureau will prepare an English translation of the report (but not of any annexes) and will transmit such translation to those Offices.

4. REMINDER

The applicant must enter the national phase before each elected Office by performing certain acts (filing translations and paying national fees) within 30 months from the priority date (or later in some Offices) (Article 39(1)) (see also the reminder sent by the International Bureau with Form PCT/IB/301).

Where a translation of the international application must be furnished to an elected Office, that translation must contain a translation of any annexes to the international preliminary examination report. It is the applicant's responsibility to prepare and furnish such translation directly to each elected Office concerned.

For further details on the applicable time limits and requirements of the elected Offices, see Volume II of the PCT Applicant's Guide.

Name and mailing address of the IPEA/



European Patent Office
D-80298 Munich
Tel. +49 89 2399 - 0 Tx: 523656 epmu d
Fax: +49 89 2399 - 4465

Authorized officer

Conner, M


Tel.+49 89 2399-2241



PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference HL74491/000/JC	FOR FURTHER ACTION See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416)	
International application No. PCT/GB00/00573	International filing date (day/month/year) 17/02/2000	Priority date (day/month/year) 17/02/1999
International Patent Classification (IPC) or national classification and IPC G01N27/447		
Applicant GENOMIC SOLUTIONS INC. et al.		
<p>1. This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36.</p> <p>2. This REPORT consists of a total of 6 sheets, including this cover sheet.</p> <p><input type="checkbox"/> This report is also accompanied by ANNEXES, i.e. sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).</p> <p>These annexes consist of a total of sheets.</p>		
<p>3. This report contains indications relating to the following items:</p> <ul style="list-style-type: none">I <input checked="" type="checkbox"/> Basis of the reportII <input type="checkbox"/> PriorityIII <input type="checkbox"/> Non-establishment of opinion with regard to novelty, inventive step and industrial applicabilityIV <input type="checkbox"/> Lack of unity of inventionV <input checked="" type="checkbox"/> Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statementVI <input type="checkbox"/> Certain documents citedVII <input checked="" type="checkbox"/> Certain defects in the international applicationVIII <input checked="" type="checkbox"/> Certain observations on the international application		
Date of submission of the demand 15/09/2000	Date of completion of this report 18.05.2001	
Name and mailing address of the international preliminary examining authority:  European Patent Office D-80298 Munich Tel. +49 89 2399 - 0 Tx: 523656 epmu d Fax: +49 89 2399 - 4465	Authorized officer Müller, T Telephone No. +49 89 2399 2285	



**INTERNATIONAL PRELIMINARY
EXAMINATION REPORT**

International application No. PCT/GB00/00573

I. Basis of the report

1. With regard to the **elements** of the international application (*Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17)*):
Description, pages:

1-24 as originally filed

Claims, No.:

1-54 as originally filed

Drawings, sheets:

1/13-13/13 as originally filed

2. With regard to the **language**, all the elements marked above were available or furnished to this Authority in the language in which the international application was filed, unless otherwise indicated under this item.

These elements were available or furnished to this Authority in the following language: , which is:

- ☐ the language of a translation furnished for the purposes of the international search (under Rule 23.1(b)).
- ☐ the language of publication of the international application (under Rule 48.3(b)).
- ☐ the language of a translation furnished for the purposes of international preliminary examination (under Rule 55.2 and/or 55.3).

3. With regard to any **nucleotide and/or amino acid sequence** disclosed in the international application, the international preliminary examination was carried out on the basis of the sequence listing:

- ☐ contained in the international application in written form.
- ☐ filed together with the international application in computer readable form.
- ☐ furnished subsequently to this Authority in written form.
- ☐ furnished subsequently to this Authority in computer readable form.
- ☐ The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.
- ☐ The statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished.

4. The amendments have resulted in the cancellation of:

- ☐ the description, pages:
- ☐ the claims, Nos.:

**INTERNATIONAL PRELIMINARY
EXAMINATION REPORT**

International application No. PCT/GB00/00573

☐ the drawings, sheets:

5. ☐ This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed (Rule 70.2(c)):

(Any replacement sheet containing such amendments must be referred to under item 1 and annexed to this report.)

6. Additional observations, if necessary:

V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)	Yes:	Claims	
	No:	Claims	1-54
Inventive step (IS)	Yes:	Claims	
	No:	Claims	1-54
Industrial applicability (IA)	Yes:	Claims	1-54
	No:	Claims	

2. Citations and explanations
see separate sheet

VII. Certain defects in the international application

The following defects in the form or contents of the international application have been noted:
see separate sheet

VIII. Certain observations on the international application

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made:
see separate sheet

**INTERNATIONAL PRELIMINARY
EXAMINATION REPORT - SEPARATE SHEET**

International application No. PCT/GB00/00573

Reference is made to the following documents:

D1: WO-A-9823950

D2: US-A-4684244

Re Item V

Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Insofar the claims can be understood at present (see section VIII of the present international preliminary examination report) the subject-matter of claims 1 - 54 does not meet the requirements of Article 33(2) PCT, the reasons being as follows:

D1 discloses an apparatus for rapidly and efficiently identifying and characterizing biomolecules, for example proteins, in a biological sample. Samples are separated by isoelectric focusing and stably maintained in a two dimensional array for subsequent imaging. The two-dimensional array is imaged with a detector to generate a computer-readable output that contains a set of x,y coordinates and a signal value for each detected biomolecule. The computer-readable profiles are suitable for computer mediated analysis to identify one or more biomolecules that satisfy specified criteria. A computer generates machine-readable instructions that direct a robotic device to remove one or more portions of the two-dimensional array that contain the selected biomolecule and to deliver the removed portions to one or more vessels for further characterization (page 3, line 26 - page 5, line 22).

Therefore the subject-matter of claims 1-38 is not new as required by Article 33(2) PCT.

A similar argument would apply with respect to the corresponding method claims 39 - 54.

2. Insofar the claims can be understood at present (see also section VIII of the present international preliminary examination report) prior art document D2 discloses also all structural features of claim 1 that is an optical head or detector

68, sample plates 76 which are driven in X-Y directions and a microprocessor 40 in order to produce optical density data, see figure 3 (Article 33(2) PCT).

Re Item VII

Certain defects in the international application

1. Independent claims are not in the two-part form in accordance with Rule 6.3(b) PCT, which in the present case would be appropriate, with those features known in combination from the prior art (document D1) being placed in the preamble (Rule 6.3(b)(i) PCT) and with the remaining features being included in the characterising part (Rule 6.3(b)(ii) PCT).
2. The features of the claims are not provided with reference signs placed in parentheses (Rule 6.2(b) PCT).
3. Contrary to the requirements of Rule 5.1(a)(ii) PCT, the relevant background art disclosed in the document D1 is not mentioned in the description, nor is this document identified therein.

Re Item VIII

Certain observations on the international application

1. The subject-matter of independent claims 1 and 39 does not meet the requirements of Article 6 PCT, the reasons being as follows:

The wording "electronically capturing one or more traits associated with samples" is vague and not clear, because the term "electronically" implies an electronic circuit, with no further definition of some structural feature. Furthermore, "capturing traits" seems to be related to the acquisition of data of traits and not the traits themselves. According to the description, which does not mention or explain the term "electronically capturing", the feature seems to be related to "obtaining and capturing an electronic image of the gel by means of a mounted camera 28".

2. The vague and imprecise statement related to the "spirit of the invention" in the description on page 24 implies that the subject-matter for which protection is

**INTERNATIONAL PRELIMINARY
EXAMINATION REPORT - SEPARATE SHEET**

International application No. PCT/GB00/00573

sought may be different to that defined by the claims, thereby resulting in lack of clarity (Article 6 PCT) when used to interpret them (see also the PCT Guidelines, III-4.3a).

PATENT COOPERATION TREATY

From the INTERNATIONAL SEARCHING AUTHORITY

PCT

NOTIFICATION OF TRANSMITTAL OF
THE INTERNATIONAL SEARCH REPORT
OR THE DECLARATION

To:

HASELTINE LAKE & CO.
Attn. Cheyne, John Robert.A.M.
Imperial House
15-19 Kingsway
London WC2B 6UD
UNITED KINGDOM

(PCT Rule 44.1)

Date of mailing
(day/month/year)

26/06/2000

Applicant's or agent's file reference

HL74491/000

FOR FURTHER ACTION

See paragraphs 1 and 4 below

International application No.

PCT/GB 00/00573

International filing date
(day/month/year)

17/02/2000

Applicant

GENOMIC SOLUTIONS INC. et al.

1. ☒ The applicant is hereby notified that the International Search Report has been established and is transmitted herewith.

Filing of amendments and statement under Article 19:

The applicant is entitled, if he so wishes, to amend the claims of the International Application (see Rule 46):

When? The time limit for filing such amendments is normally 2 months from the date of transmittal of the International Search Report; however, for more details, see the notes on the accompanying sheet.

Where? Directly to the International Bureau of WIPO
34, chemin des Colombettes
1211 Geneva 20, Switzerland
Facsimile No.: (41-22) 740.14.35

For more detailed instructions, see the notes on the accompanying sheet.

2. ☐ The applicant is hereby notified that no International Search Report will be established and that the declaration under Article 17(2)(a) to that effect is transmitted herewith.

3. ☐ With regard to the protest against payment of (an) additional fee(s) under Rule 40.2, the applicant is notified that:

☐ the protest together with the decision thereon has been transmitted to the International Bureau together with the applicant's request to forward the texts of both the protest and the decision thereon to the designated Offices.

☐ no decision has been made yet on the protest; the applicant will be notified as soon as a decision is made.

4. **Further action(s):** The applicant is reminded of the following:

Shortly after 18 months from the priority date, the international application will be published by the International Bureau. If the applicant wishes to avoid or postpone publication, a notice of withdrawal of the international application, or of the priority claim, must reach the International Bureau as provided in Rules 90bis.1 and 90bis.3, respectively, before the completion of the technical preparations for international publication.

Within 19 months from the priority date, a demand for international preliminary examination must be filed if the applicant wishes to postpone the entry into the national phase until 30 months from the priority date (in some Offices even later).

Within 20 months from the priority date, the applicant must perform the prescribed acts for entry into the national phase before all designated Offices which have not been elected in the demand or in a later election within 19 months from the priority date or could not be elected because they are not bound by Chapter II.

Name and mailing address of the International Searching Authority



European Patent Office, P.B. 5818 Patentlaan 2
NL-2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Mildred Condron

NOTES TO FORM PCT/ISA/220

These Notes are intended to give the basic instructions concerning the filing of amendments under article 19. The Notes are based on the requirements of the Patent Cooperation Treaty, the Regulations and the Administrative Instructions under that Treaty. In case of discrepancy between these Notes and those requirements, the latter are applicable. For more detailed information, see also the PCT Applicant's Guide, a publication of WIPO.

In these Notes, "Article", "Rule", and "Section" refer to the provisions of the PCT, the PCT Regulations and the PCT Administrative Instructions respectively.

INSTRUCTIONS CONCERNING AMENDMENTS UNDER ARTICLE 19

The applicant has, after having received the international search report, one opportunity to amend the claims of the international application. It should however be emphasized that, since all parts of the international application (claims, description and drawings) may be amended during the international preliminary examination procedure, there is usually no need to file amendments of the claims under Article 19 except where, e.g. the applicant wants the latter to be published for the purposes of provisional protection or has another reason for amending the claims before international publication. Furthermore, it should be emphasized that provisional protection is available in some States only.

What parts of the international application may be amended?

Under Article 19, only the claims may be amended.

During the international phase, the claims may also be amended (or further amended) under Article 34 before the International Preliminary Examining Authority. The description and drawings may only be amended under Article 34 before the International Examining Authority.

Upon entry into the national phase, all parts of the international application may be amended under Article 28 or, where applicable, Article 41.

When?

Within 2 months from the date of transmittal of the international search report or 16 months from the priority date, whichever time limit expires later. It should be noted, however, that the amendments will be considered as having been received on time if they are received by the International Bureau after the expiration of the applicable time limit but before the completion of the technical preparations for international publication (Rule 46.1).

Where not to file the amendments?

The amendments may only be filed with the International Bureau and not with the receiving Office or the International Searching Authority (Rule 46.2).

Where a demand for international preliminary examination has been/is filed, see below.

How?

Either by cancelling one or more entire claims, by adding one or more new claims or by amending the text of one or more of the claims as filed.

A replacement sheet must be submitted for each sheet of the claims which, on account of an amendment or amendments, differs from the sheet originally filed.

All the claims appearing on a replacement sheet must be numbered in Arabic numerals. Where a claim is cancelled, no renumbering of the other claims is required. In all cases where claims are renumbered, they must be renumbered consecutively (Administrative Instructions, Section 205(b)).

The amendments must be made in the language in which the international application is to be published.

What documents must/may accompany the amendments?

Letter (Section 205(b)):

The amendments must be submitted with a letter.

The letter will not be published with the international application and the amended claims. It should not be confused with the "Statement under Article 19(1)" (see below, under "Statement under Article 19(1)").

The letter must be in English or French, at the choice of the applicant. However, if the language of the international application is English, the letter must be in English; if the language of the international application is French, the letter must be in French.

NOTES TO FORM PCT/ISA/220 (continued)

The letter must indicate the differences between the claims as filed and the claims as amended. It must, in particular, indicate, in connection with each claim appearing in the international application (it being understood that identical indications concerning several claims may be grouped), whether

- (i) the claim is unchanged;
- (ii) the claim is cancelled;
- (iii) the claim is new;
- (iv) the claim replaces one or more claims as filed;
- (v) the claim is the result of the division of a claim as filed.

The following examples illustrate the manner in which amendments must be explained in the accompanying letter:

1. [Where originally there were 48 claims and after amendment of some claims there are 51]:
"Claims 1 to 29, 31, 32, 34, 35, 37 to 48 replaced by amended claims bearing the same numbers; claims 30, 33 and 36 unchanged; new claims 49 to 51 added."
2. [Where originally there were 15 claims and after amendment of all claims there are 11]:
"Claims 1 to 15 replaced by amended claims 1 to 11."
3. [Where originally there were 14 claims and the amendments consist in cancelling some claims and in adding new claims]:
"Claims 1 to 6 and 14 unchanged; claims 7 to 13 cancelled; new claims 15, 16 and 17 added." or
"Claims 7 to 13 cancelled; new claims 15, 16 and 17 added; all other claims unchanged."
4. [Where various kinds of amendments are made]:
"Claims 1-10 unchanged; claims 11 to 13, 18 and 19 cancelled; claims 14, 15 and 16 replaced by amended claim 14; claim 17 subdivided into amended claims 15, 16 and 17; new claims 20 and 21 added."

"Statement under article 19(1)" (Rule 46.4)

The amendments may be accompanied by a statement explaining the amendments and indicating any impact that such amendments might have on the description and the drawings (which cannot be amended under Article 19(1)).

The statement will be published with the international application and the amended claims.

It must be in the language in which the international application is to be published.

It must be brief, not exceeding 500 words if in English or if translated into English.

It should not be confused with and does not replace the letter indicating the differences between the claims as filed and as amended. It must be filed on a separate sheet and must be identified as such by a heading, preferably by using the words "Statement under Article 19(1)."

It may not contain any disparaging comments on the international search report or the relevance of citations contained in that report. Reference to citations, relevant to a given claim, contained in the international search report may be made only in connection with an amendment of that claim.

Consequence if a demand for international preliminary examination has already been filed

If, at the time of filing any amendments under Article 19, a demand for international preliminary examination has already been submitted, the applicant must preferably, at the same time of filing the amendments with the International Bureau, also file a copy of such amendments with the International Preliminary Examining Authority (see Rule 62.2(a), first sentence).

Consequence with regard to translation of the international application for entry into the national phase

The applicant's attention is drawn to the fact that, where upon entry into the national phase, a translation of the claims as amended under Article 19 may have to be furnished to the designated/elected Offices, instead of, or in addition to, the translation of the claims as filed.

For further details on the requirements of each designated/elected Office, see Volume II of the PCT Applicant's Guide.

PCT

INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference	FOR FURTHER ACTION see Notification of Transmittal of International Search Report (Form PCT/ISA/220) as well as, where applicable, item 5 below.	
HL74491/000		
International application No.	International filing date (day/month/year)	(Earliest) Priority Date (day/month/year)
PCT/GB 00/ 00573	17/02/2000	17/02/1999
Applicant		
GENOMIC SOLUTIONS INC. et al.		

This International Search Report has been prepared by this International Searching Authority and is transmitted to the applicant according to Article 18. A copy is being transmitted to the International Bureau.

This International Search Report consists of a total of 2 sheets.

☒ It is also accompanied by a copy of each prior art document cited in this report.

1. Basis of the report

- a. With regard to the **language**, the international search was carried out on the basis of the international application in the language in which it was filed, unless otherwise indicated under this item.

☐ the international search was carried out on the basis of a translation of the international application furnished to this Authority (Rule 23.1(b)).

- b. With regard to any **nucleotide and/or amino acid sequence** disclosed in the international application, the international search was carried out on the basis of the sequence listing:

☐ contained in the international application in written form.

☐ filed together with the international application in computer readable form.

☐ furnished subsequently to this Authority in written form.

☐ furnished subsequently to this Authority in computer readable form.

☐ the statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.

☐ the statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished

2. ☐ **Certain claims were found unsearchable** (See Box I).

3. ☐ **Unity of invention is lacking** (see Box II).

4. With regard to the **title**,

☒ the text is approved as submitted by the applicant.

☐ the text has been established by this Authority to read as follows:

5. With regard to the **abstract**,

☒ the text is approved as submitted by the applicant.

☐ the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority.

6. The figure of the **drawings** to be published with the abstract is Figure No. 2

☒ as suggested by the applicant.

☐ because the applicant failed to suggest a figure.

☐ because this figure better characterizes the invention.

☐ None of the figures.

INTERNATIONAL SEARCH REPORT

International Application No

PCT/GB 00/00573

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 G01N27/447

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 G01N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 4 684 244 A (BUTTS GENE A ET AL) 4 August 1987 (1987-08-04) column 3, line 51 -column 9, line 10	1
A		2-54
X	WO 98 23950 A (BRUCE JAMES ALEXANDER ;OXFORD GLYCOSCIENCES UK LTD (GB); PLATT ALB) 4 June 1998 (1998-06-04) page 3, line 26 -page 5, line 22 the whole document	1, 39
A		2-38, 40-54
A	WO 98 59092 A (LARGE SCALE BIOLOGY CORP) 30 December 1998 (1998-12-30) cited in the application page 35, line 7 -page 37, line 21	10, 11

☐ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

15 June 2000

Date of mailing of the international search report

26/06/2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Müller, T

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/GB 00/00573

Patent document cited in search report		Publication date	Patent family member(s)		Publication date
US 4684244	A	04-08-1987	NONE		
WO 9823950	A	04-06-1998	AU 713259	B	25-11-1999
			AU 5230098	A	22-06-1998
			EP 0941477	A	15-09-1999
			NO 992583	A	28-07-1999
			US 6064754	A	16-05-2000
			ZA 9710792	A	01-12-1998
WO 9859092	A	30-12-1998	US 5993627	A	30-11-1999
			EP 1003925	A	31-05-2000

PATENT COOPERATION TREATY

PCT

From the INTERNATIONAL BUREAU

NOTIFICATION OF THE RECORDING
OF A CHANGE(PCT Rule 92bis.1 and
Administrative Instructions, Section 422)

To:

CHEYNE, John, Robert, Alexander,
Mackenzie
Haseltine Lake & Co.
Imperial House
15-19 Kingsway
London WC2B 6UD
ROYAUME-UNI

Date of mailing (day/month/year)
08 August 2001 (08.08.01)

Applicant's or agent's file reference
65446-0038

International application No.
PCT/GB00/00573

IMPORTANT NOTIFICATION

International filing date (day/month/year)
17 February 2000 (17.02.00)

1. The following indications appeared on record concerning:

☒ the applicant ☒ the inventor ☐ the agent ☐ the common representative

Name and Address

AUTON, Kevin
42 Craftfield Road
Godmanchester
Huntingdon
Cambridgeshire PE18 8ED
United Kingdom

State of Nationality

GB

State of Residence

GB

Telephone No.

Facsimile No.

Teleprinter No.

2. The International Bureau hereby notifies the applicant that the following change has been recorded concerning:

☐ the person ☐ the name ☒ the address ☐ the nationality ☐ the residence

Name and Address

AUTON, Kevin
42 Croftfield Road
Godmanchester
Huntingdon
Cambridgeshire PE29 2ED
United Kingdom

State of Nationality

GB

State of Residence

GB

Telephone No.

Facsimile No.

Teleprinter No.

3. Further observations, if necessary:

4. A copy of this notification has been sent to:

☒ the receiving Office ☐ the designated Offices concerned
☐ the International Searching Authority ☒ the elected Offices concerned
☐ the International Preliminary Examining Authority ☐ other:

The International Bureau of WIPO
34, chemin des Colombettes
1211 Geneva 20, Switzerland

Facsimile No.: (41-22) 740.14.35

Authorized officer

Elisabeth KÖNIG

Telephone No.: (41-22) 338.83.38

PCT

INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference	FOR FURTHER ACTION see Notification of Transmittal of International Search Report (Form PCT/ISA/220) as well as, where applicable, item 5 below.	
HL74491/000		
International application No.	International filing date (day/month/year)	(Earliest) Priority Date (day/month/year)
PCT/GB 00/ 00573	17/02/2000	17/02/1999
Applicant		
GENOMIC SOLUTIONS INC. et al.		

This International Search Report has been prepared by this International Searching Authority and is transmitted to the applicant according to Article 18. A copy is being transmitted to the International Bureau.

This International Search Report consists of a total of 2 sheets.

☒ It is also accompanied by a copy of each prior art document cited in this report.

1. Basis of the report

- a. With regard to the **language**, the international search was carried out on the basis of the international application in the language in which it was filed, unless otherwise indicated under this item.

☐ the international search was carried out on the basis of a translation of the international application furnished to this Authority (Rule 23.1(b)).

- b. With regard to any **nucleotide and/or amino acid sequence** disclosed in the international application, the international search was carried out on the basis of the sequence listing :

☐ contained in the international application in written form.

☐ filed together with the international application in computer readable form.

☐ furnished subsequently to this Authority in written form.

☐ furnished subsequently to this Authority in computer readable form.

☐ the statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.

☐ the statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished

2. ☐ **Certain claims were found unsearchable** (See Box I).

3. ☐ **Unity of Invention is lacking** (see Box II).

4. With regard to the **title**,

☒ the text is approved as submitted by the applicant.

☐ the text has been established by this Authority to read as follows:

5. With regard to the **abstract**,

☒ the text is approved as submitted by the applicant.

☐ the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority.

6. The figure of the **drawings** to be published with the abstract is Figure No.

☒ as suggested by the applicant.

☐ because the applicant failed to suggest a figure.

☐ because this figure better characterizes the invention.

2

☐ None of the figures.

PATENT COOPERATION TREATY

PCT

From the INTERNATIONAL BUREAU

NOTIFICATION OF THE RECORDING
OF A CHANGE(PCT Rule 92bis.1 and
Administrative Instructions, Section 422)

To:

CHEYNE, John, Robert, Alexander,
Mackenzie
Haseltine Lake & Co.
Imperial House
15-19 Kingsway
London WC2B 6UD
ROYAUME-UNI

Date of mailing (day/month/year)

07 June 2001 (07.06.01)

Applicant's or agent's file reference

65446-0038

IMPORTANT NOTIFICATION

International application No.

PCT/GB00/00573

International filing date (day/month/year)

17 February 2000 (17.02.00)

1. The following indications appeared on record concerning:

☐

the applicant

☐

the inventor

☒

the agent

☐

the common representative

Name and Address

COPPOLA, Joseph, V. Sr.
Rader, Fishman & Grauer PLLC
39533 Woodward Avenue
Suite 140
Bloomfield Hills, MI 48304
United States of America

State of Nationality

State of Residence

Telephone No.

1 248 594 0600

Facsimile No.

1 248 594 0610

Teleprinter No.

2. The International Bureau hereby notifies the applicant that the following change has been recorded concerning:

☒

the person

☒

the name

☒

the address

☐

the nationality

☐

the residence

Name and Address

CHEYNE, John, Robert, Alexander,
Mackenzie
Haseltine Lake & Co.
Imperial House
15-19 Kingsway
London WC2B 6UD
United Kingdom

State of Nationality

State of Residence

Telephone No.

+44 (0)20 7420 0500

Facsimile No.

+44 (0)20 7420 0505

Teleprinter No.

3. Further observations, if necessary:

4. A copy of this notification has been sent to:

☒

the receiving Office

☐

the International Searching Authority

☒

the International Preliminary Examining Authority

☐

the designated Offices concerned

☒

the elected Offices concerned

☐

other:

The International Bureau of WIPO
34, chemin des Colombettes
1211 Geneva 20, Switzerland

Facsimile No.: (41-22) 740.14.35

Authorized officer

Dominique DELMAS

Telephone No.: (41-22) 338.83.38

PATENT COOPERATION TREATY

PCT

From the INTERNATIONAL BUREAU

NOTIFICATION OF ELECTION

(PCT Rule 61.2)

To:

Commissioner
 US Department of Commerce
 United States Patent and Trademark
 Office, PCT
 2011 South Clark Place Room 524
 Arlington, VA 22202
 ETATS-UNIS D'AMERIQUE
 ETATS-UNIS D'AMERIQUE
 in its capacity as elected Office

Date of mailing (day/month/year)

26 October 2000 (26.10.00)

International application No.

PCT/GB00/00573

Applicant's or agent's file reference

HL74491/000

International filing date (day/month/year)

17 February 2000 (17.02.00)

Priority date (day/month/year)

17 February 1999 (17.02.99)

Applicant

RYAN, Paul, Thomas et al

1. The designated Office is hereby notified of its election made:



in the demand filed with the International Preliminary Examining Authority on:

15 September 2000 (15.09.00)



in a notice effecting later election filed with the International Bureau on:

2. The election ☒ was

was not

made before the expiration of 19 months from the priority date or, where Rule 32 applies, within the time limit under Rule 32.2(b).

The International Bureau of WIPO
 34, chemin des Colombettes
 1211 Geneva 20, Switzerland

Facsimile No.: (41-22) 740.14.35

Authorized officer

Zakaria EL KHODARY

Telephone No.: (41-22) 338.83.38

INVOICE No. 1656

Date (Tax Point) 7th July 2000

Your Ref: 65446-004 PCT

Haseltine Lake & Co.

Accounts & Records Department
Redcliff Quay
120 Redcliff Street, Bristol BS1 6HU
United Kingdom

V.A.T. Reg. No. GB 232 4047 02

Tel: (0117) 910 3200

Telex: 449559 LAKES G

Fax: (0117) 910 3201

~~Rader, Fishman & Grauer PLLC~~
1533 North Woodward Avenue
Suite 140
Bloomfield Hills
MI 48304
U.S.A.

The partners (owners) of Haseltine Lake & Co. are

M.R.Jones	D.A.Nash	U.M.Benedum
G.S.Bedggood	T.C.Stebbing	P.M.Hitching
W.Silverman	C.L.Fenlon	M.H.Krause
M.J.Abrams	D.C.O'Connell	A.S.Giles
J.R.A.M.Cheyne	J.More O'Ferrall	
J.H.Sunderland	C.S.Gibbs	

Client No. : RAD14

Our Ref: PM/74491000/TAG

Re: P.C.T. Patent Application No. PCTGB0000573 in the name of Genomic
Solutions, Inc.
Excising proteins from gels

Issuing reminder(s), requesting extensions of time for filing the powers of attorney in support of this application, liaising with inventors concerning the furnishing of powers of attorney, noting issuance of the search report on this application and reporting to you, copying documents, postage/telephone.	U.S. Dollars
	353.60
Total Taxable	353.60
VAT at zero rate	0.00
TOTAL	US\$353.60

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US98/07387

A. CLASSIFICATION OF SUBJECT MATTER

IPC(6) : C25B 7/00

US CL : 204/450, 456, 461, 469, 470, 600, 606, 612, 620; 530/402, 404

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 204/

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

APS

electrophoresis, two dimensional, automated, scanning, optical, detector

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A,E	5,753,095 A (ALPENFELS et al.) 19 May 1998 (19/05/98), see entire document.	27
Y	US 5,589,104 A (BAMBECK) 31 December 1996 (31/12/96), see entire document.	36-42
Y	US 3,766,047 A (ELEVITCH) 16 October 1973 (16/10/73), see entire document.	49-85
Y	US 4,909,920 A (SARRINE et al.) 20 March 1990 (20/03/90), see entire document.	120-133
Y	US 4,954,237 A (SARRINE et al.) 04 September 1990 (04/09/90), see entire document.	120-133
A	US 5,275,710 A (GOMBOCZ et al.) 04 January 1994 (04/01/94), see entire document.	1-139



Further documents are listed in the continuation of Box C.



See patent family annex.

* "A" document defining the general state of the art which is not considered to be of particular relevance	*T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
E earlier document published on or after the international filing date	*X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	*Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
O document referring to an oral disclosure, use, exhibition or other means	*g* document member of the same patent family
P document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

26 AUGUST 1998

Date of mailing of the international search report

OCT 13 1998

Name and mailing address of the ISA/US
Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

Cybille Delacroix-Muirheid

Telephone No. (703) 308-0196

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US98/07387

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5,164,066 A (YETMAN et al.) 17 November 1992 (17/11/92), see entire document.	1-139
Y	US 4,944,483 A (NISHIZAWA) 31 July 1990 (31/07/90), see entire document.	49-85
Y	US 5,507,934 A (RENFREW) 16 April 1996 (16/04/96), see entire document.	20-24
A	US 5,520,790 A (CHOPAS et al.) 28 May 1996 (28/05/96), see entire document.	1-139

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US98/07387

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This international report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:
2. ☐ Claims Nos.:
because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:
3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

Please See Extra Sheet.

1. ☐ As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.
2. ☒ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
☐ No protest accompanied the payment of additional search fees.

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US98/07387

BOX II. OBSERVATIONS WHERE UNITY OF INVENTION WAS LACKING

This ISA found multiple inventions as follows:

This application contains the following inventions or groups of inventions which are not so linked as to form a single inventive concept under PCT Rule 13.1. In order for all inventions to be searched, the appropriate additional search fees must be paid.

Group I, claim(s) 1-6, drawn to a method of preparing, i.e. chemical reaction, sample for electrophoresis, no electrophoresis steps recited.

Group II, claim(s) 7-19, drawn to an apparatus for preparing a gel medium.

Group III, claim(s) 20-24, drawn to a method of preparing a gel medium.

Group IV, claim(s) 25-26, drawn to another method of preparing a gel medium.

Group V, claim(s) 27, drawn to a gel assembly.

Group VI, claim(s) 28-29, drawn to a method of electrophoretic separation..

Group VII, claim(s) 30-35, drawn to a means for loading samples onto gels and transporting gel stations.

Group VIII, claim(s) 36-42, drawn to a gel medium.

Group IX, claim(s) 43-48, drawn to a distinct gel medium.

Group X, claim(s) 49-85, drawn to a method of preparing a gel medium and performing electrophoresis.

Group XI, claim(s) 86-91, drawn to a first method of scanning a stained electrophoresis gel..

Group XII, claim(s) 92-96, drawn to a second method of scanning a stained electrophoresis gel.

Group XIII, claim(s) 97-100, drawn to a first method of quantitating proteins separated by gel electrophoresis.

Group XIV, claim(s) 101, drawn to a second distinct method of quantitating proteins separated by gel electrophoresis.

Group XV, claim(s) 102-105, drawn to a method of "comparing the properties of a plurality of proteins", separations recited, but not specifically electrophoresis.

Group XVI, claim(s) 106, drawn to a method of excising a plurality of small regions of an electrophoresis gel.

Group XVII, claim(s) 107-111, drawn to a computer and software for controlling gel molding means.

Group XVIII, claim(s) 112-116, drawn to a method for preparing a gel under computer control.

Group XIX, claim(s) 117-119, drawn to a method of transporting gels.

Group XX, claim(s) 120-133, drawn to integrated system for casting gels, performing gel electrophoresis, staining gels and scanning gels (one-dimensional electrophoresis).

Group XXI, claim(s) 134-139, drawn to an integrated system as above (two-dimensional electrophoresis).

The inventions listed as Groups I-XXI do not relate to a single inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, they lack the same or corresponding special technical features for the following reasons:

Groups I, III, IV, VI, X-XVI, XVIII, XIX are drawn to different methods with different goals and different method steps. Groups II, V, VII, VIII, IX, XVII, XX, XXI are drawn to distinct apparatus with different structural features. There is no special technical feature linking the claims.